



INDOOR & OUTDOOR CATALOG

www.budaluxelighting.com

Today, our journey extends from the heart of Budapest to the vibrant skylines of the United Arab Emirates a nation celebrated as the City of Dreams, where architectural ambition meets limitless possibilities. We understand the unique lighting needs of contemporary villas, luxury residences, hospitality projects, and commercial developments across the region.

Every BudaLuxe product is carefully selected and developed to combine European aesthetics with reliable performance, energy efficiency, and the expectations of modern Middle Eastern living.



**DESIGNED WITH PRECISION
FROM HUNGARY**

 sales@budaluxelighting.com

   [budaluxelighting](#)

INDOOR LIGHTS



| Panel Lights




TURN OFF

TURN ON



Reveal the art of light by the minimalist aesthetic design
The shape of the minimalist linear and the unique press-type snap design




LED : Brideglux
Power : 25W
Flux(Lm) : 1000Lm
Material : Aluminum



100°



1PCS




LED : Brideglux
Power : 35W
Flux(Lm) : 1400Lm
Material : Aluminum



100°



1PCS



LED : Brideglux
Power : 45W
Flux(Lm) : 1800Lm
Material : Aluminum



100°



1PCS

COLOUR

- SAND BLACK
- SAND WHITE
- SAND GOLD

CCT

- 3000K
- 4000K
- 6000K


IP20

1-10V

CONSTANT CURRENT

DALI

tuya




LED : Brideglux
Power : 25W
Flux(Lm) : 1000Lm
Material : Aluminum



100°



1PCS




LED : Brideglux
Power : 35W
Flux(Lm) : 1400Lm
Material : Aluminum



100°



1PCS



LED : Brideglux
Power : 45W
Flux(Lm) : 1800Lm
Material : Aluminum



100°



1PCS

COLOUR

- SAND BLACK
- SAND WHITE
- SAND GOLD

CCT

- 3000K
- 4000K
- 6000K


IP20

1-10V

CONSTANT CURRENT

DALI

tuya




LED : Brideglux
Power : 25W
Flux(Lm) : 1000Lm
Material : Aluminum



100°



1PCS




LED : Brideglux
Power : 35W
Flux(Lm) : 1400Lm
Material : Aluminum



100°



1PCS



LED : Brideglux
Power : 45W
Flux(Lm) : 1800Lm
Material : Aluminum



100°



1PCS

COLOUR

CCT


SAND BLACK


SAND WHITE


SAND GOLD


3000K


4000K


6000K

IP20






1-10V

CONSTANT CURRENT

DALI






LED: Bridgelux
Power: 36W
Flux(Lm): 2520Lm
Material: Aluminum



100°



5PCS




LED: Bridgelux
Power: 42W
Flux(Lm): 3025Lm
Material: Aluminum



100°



5PCS




LED: Bridgelux
Power: 55W
Flux(Lm): 4070Lm
Material: Aluminum



100°



1PCS




LED: Bridgelux
Power: 84W
Flux(Lm): 6385Lm
Material: Aluminum



100°




1PCS



Applicable :MB0070E




10PCS



Applicable :MB0071E




5PCS



Applicable :MB0072E



1PCS



Applicable : MB003*E、MB004*E、
MB007*E、MB009*E、
MB010*E、MB054*E



20PCS


COLOUR

CCT



COLOUR






LED : Bridgelux
Power : 34W
Flux(Lm) : 2520Lm
Material : Aluminum



100°



1PCS



LED: Bridgelux
Power: 42W
Flux(Lm): 3025Lm
Material: Aluminum



100°



1PCS



COLOUR

- 
SAND BLACK
- 
SAND WHITE

CCT

- 
3000K
- 
4000K
- 
6000K

IP20




1-10V


CONSTANT
CURRENT

DALI







LED: Bridgelux
Power: 36W
Flux(Lm): 2520Lm
Material: Aluminum



LED: Bridgelux
Power: 42W
Flux(Lm): 3025Lm
Material: Aluminum



LED: Bridgelux
Power: 55W
Flux(Lm): 4070Lm
Material: Aluminum



LED: Bridgelux
Power: 84W
Flux(Lm): 6385Lm
Material: Aluminum



COLOUR

CCT

- 
SAND BLACK
- 
SAND WHITE
- 
SAND GOLD
- 
3000K
- 
4000K
- 
6000K

IP20






1-10V

CONSTANT CURRENT


DALI



Applicable : MB003*E、MB004*E、
MB007*E、MB009*E、
MB010*E、MB054*E



20PCS




LED : Bridgelux
Power : 34W
Flux(Lm) : 2520Lm
Material : Aluminum



100°




1PCS



Applicable : MB003*E、MB004*E、
MB007*E、MB009*E、
MB010*E、MB054*E



20PCS



LED:Bridgelux
Power: 42W
Flux(Lm): 3025Lm
Material: Aluminum



100°



1PCS

COLOUR

CCT



SAND BLACK



SAND WHITE



3000K



4000K



6000K

COLOUR



SAND BLACK



SAND WHITE




LED: Bridgelux
Power: 12W
Flux(Lm): 900Lm
Material: Aluminum



100°



30PCS




LED: Bridgelux
Power: 24W
Flux(Lm): 2050Lm
Material: Aluminum



100°



20PCS




LED: Bridgelux
Power: 36W
Flux(Lm): 3400Lm
Material: Aluminum



100°



10PCS




LED: Bridgelux
Power: 42W
Flux(Lm): 4250Lm
Material: Aluminum



100°



10PCS




LED: Bridgelux
Power: 84W
Flux(Lm): 8430Lm
Material: Aluminum



100°



5PCS




LED: Bridgelux
Power: 128W
Flux(Lm): 13500Lm
Material: Aluminum



100°



1PCS




LED: Bridgelux
Power: 24W
Flux(Lm): 2050Lm
Material: Aluminum



100°



30PCS




LED: Bridgelux
Power: 36W
Flux(Lm): 3400Lm
Material: Aluminum



100°



10PCS




LED: Bridgelux
Power: 42W
Flux(Lm): 4250Lm
Material: Aluminum



100°



10PCS




LED: Bridgelux
Power: 84W
Flux(Lm): 8430Lm
Material: Aluminum



100°



5PCS



LED: Bridgelux
Power: 128W
Flux(Lm): 13500Lm
Material: Aluminum



100°



1PCS

COLOUR

CCT



SAND BLACK



SAND WHITE



3000K



4000K



6000K

COLOUR

CCT



SAND BLACK



SAND WHITE




3000K



4000K



6000K



20PCS

20PCS


10PCS

5PCS

1PCS

COLOUR

SAND WHITE




LED: BridgeluxPower
Power: 12W
Flux(Lm): 1020Lm
Material: Aluminum



100°



30PCS




LED: BridgeluxPower
Power: 24W
Flux(Lm): 2160Lm
Material: Aluminum



100°



20PCS




LED: BridgeluxPower
Power: 36W
Flux(Lm): 3420Lm
Material: Aluminum



100°



10PCS



LED: Bridgelux
Power: 42W
Flux(Lm): 4200Lm
Material: Aluminum



100°



5PCS

COLOUR



SAND WHITE + BLACK



IP20



1-10V

CONSTANT
CURRENT

DALI




LED : Bridgelux
Power : 12W
Flux(Lm) : 880Lm
Material : Aluminum



100°



20PCS




LED : Bridgelux
Power : 24W
Flux(Lm) : 2020Lm
Material : Aluminum



100°



10PCS



LED : Bridgelux
Power : 36W
Flux(Lm) : 3480Lm
Material : Aluminum



100°



5PCS

COLOUR

CCT



SAND WHITE



3000K



4000K



6000K


IP20



1-10V

CONSTANT
CURRENT

DALI



Φ300mm


LED: Bridgelux
Power: 36W
Flux(Lm): 3280Lm
Material: Aluminum



55°



10PCS



Φ400mm


LED: Bridgelux
Power: 42W
Flux(Lm): 4260Lm
Material: Aluminum



55°



10PCS



Φ600mm


LED: CREE/Bridgelux
Power: 84W
Flux(Lm): 8420Lm
Material: Aluminum



55°



5PCS



Φ900mm

LED: CREE/Bridgelux
Power: 128W
Flux(Lm): 12840Lm
Material: Aluminum



55°



1PCS

COLOUR



SAND BLACK



SAND WHITE

CCT



3000K



4000K



6000K



IP20



1-10V

CONSTANT
CURRENT

DALI




LED : Bridgelux
Power : 7W
Flux(Lm) : 350Lm
Material : Aluminum



100°



50PCS




LED : Bridgelux
Power : 12W
Flux(Lm) : 660Lm
Material : Aluminum



100°



50PCS



LED : Bridgelux
Power : 15W
Flux(Lm) : 990Lm
Material : Aluminum



100°



30PCS

COLOUR

CCT



SAND BLACK



SAND WHITE



SAND GOLD



3000K



4000K



6000K


IP20



1-10V

CONSTANT
CURRENT

DALI




LED : Bridgelux
Power : 7W
Flux(Lm) : 350Lm
Material : Aluminum



100°



30PCS




LED : Bridgelux
Power : 12W
Flux(Lm) : 660Lm
Material : Aluminum



100°



20PCS



LED: Bridgelux
Power: 15W
Flux(Lm): 990Lm
Material: Aluminum



100°



20PCS



COLOUR



SAND BLACK



SAND WHITE



SAND GOLD



3000K



4000K



6000K

CCT


IP20




1-10V

CONSTANT
CURRENT

DALI



LED:CREE/Bridgelux
Power: 7W
Flux(Lm): 560Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 12W
Flux(Lm): 960Lm
Material: Aluminum



COLOUR

CCT

- 
SAND BLACK
- 
SAND WHITE
- 
SAND GOLD
- 
3000K
- 
4000K
- 
6000K

IP20






1-10V

CONSTANT CURRENT


DALI



LED:CREE/Bridgelux
Power: 6W
Flux(Lm): 390Lm
Material: Aluminum




30PCS



LED:CREE/Bridgelux
Power: 12W
Flux(Lm): 780Lm
Material: Aluminum



20PCS



LED:CREE/Bridgelux
Power: 15W
Flux(Lm): 1170Lm
Material: Aluminum



20PCS

COLOUR

- SAND BLACK
- SAND WHITE

CCT

- 3000K
- 4000K
- 5000K
- 6000K

IP54



1-10V


CONSTANT CURRENT

DALI

tuya

| Spot Light Series






LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 450Lm
Material: Aluminum



15° 24° 36° 50°
50PCS



ANTI GLARE NET




LED: CREE/Bridgelux
Power: 9W
Flux(Lm): 580Lm
Material: Aluminum



15° 24° 36° 50°
50PCS



LINEAR SPREAD LENS




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 785Lm
Material: Aluminum



10° 15° 24° 36° 50°
40PCS



SQUARE SPREAD LENS



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1365Lm
Material: Aluminum



15° 24° 36° 50°
30PCS

Optional





COLOUR





CCT









LED: CREE/Bridgelux
Power: 9W
Flux(Lm): 580Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 1*12W
Flux(Lm): 780Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 9W
Flux(Lm): 580Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 780Lm
Material: Aluminum



Optional




COLOUR



CCT






LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 450Lm
Material: Aluminum



ANTI GLARE NET




LINEAR SPREAD LENS




LED: CREE/Bridgelux
Power: 9W
Flux(Lm): 580Lm
Material: Aluminum



SQUARE SPREAD LENS



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 785Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1365Lm
Material: Aluminum



Optional



Black

Chrome

Pearl black

White

COLOUR



SAND BLACK



SAND WHITE

CCT



2700K



3000K



3500K



4000K



IP20







1-10V



CONSTANT CURRENT




DALI



tuya






LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 350Lm
Material : Aluminum



15°24°36°



50PCS




LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 350Lm
Material : Aluminum



15°24°36°



50PCS




LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 350Lm
Material : Aluminum



15°24°36°



50PCS



LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 350Lm
Material : Aluminum



15°24°36°



50PCS

COLOUR



SAND WHITE + BLACK

CCT



3000K



4000K



5000K




6000K







Rotary removal or fixation
easy to stabilize







LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 560LM
Material: Aluminum



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1000LM
Material: Aluminum



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1800LM
Material: Aluminum




COLOUR




CCT







LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 560LM
Material: Aluminum




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1000LM
Material: Aluminum




LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1800LM
Material: Aluminum



LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 560LM
Material: Aluminum



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1000LM
Material: Aluminum



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1800LM
Material: Aluminum



COLOUR



CCT




COLOUR



CCT






LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 560LM
Material: Aluminum



180°



30PCS




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1000LM
Material: Aluminum



180°



30PCS



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1800LM
Material: Aluminum



180°



20PCS

COLOUR



SAND WHITE

CCT



3000K



4000K




5000K




6000K







LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 560LM
Material: Aluminum




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1000LM
Material: Aluminum




LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1800LM
Material: Aluminum



LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 560LM
Material: Aluminum



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1000LM
Material: Aluminum



LED: CREE/Bridgelux
Power: 18W
Flux(Lm): 1800LM
Material: Aluminum



COLOUR

CCT

SAND WHITE

3000K

4000K

5000K

6000K

COLOUR

CCT


SAND WHITE

3000K


4000K

5000K


6000K




LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 560LM
Material: Aluminum




LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 560LM
Material: Aluminum




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1000LM
Material: Aluminum



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1000LM
Material: Aluminum



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1800LM
Material: Aluminum



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1800LM
Material: Aluminum



COLOUR CCT

SAND WHITE

3000K

4000K

5000K

6000K

COLOUR CCT


SAND WHITE

3000K

4000K

5000K

6000K




LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 560LM
Material: Aluminum



180 °



30PCS




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1000LM
Material: Aluminum



180 °



30PCS




LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1800LM
Material: Aluminum



180 °



20PCS




LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 560LM
Material: Aluminum



180 °



30PCS




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1000LM
Material: Aluminum



180 °



30PCS



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1800LM
Material: Aluminum



180 °



20PCS

COLOUR CCT



SAND WHITE



3000K



4000K



5000K



6000K

COLOUR CCT



SAND WHITE



3000K






4000K



5000K




6000K



10






LED:CREE/Bridgelux
Power:7W
Flux(Lm): 490Lm
Material: Aluminum




24° 36°
50PCS



LED:CREE/Bridgelux
Power:7W
Flux(Lm): 490Lm
Material: Aluminum




24° 36°
50PCS



LED:CREE/Bridgelux
Power: 12W
Flux(Lm): 840Lm
Material: Aluminum




24° 36°
30PCS



LED:CREE/Bridgelux
Power: 12W
Flux(Lm): 840Lm
Material: Aluminum




24° 36°
30PCS



LED:CREE/Bridgelux
Power: 18W
Flux(Lm): 1260Lm
Material: Aluminum



24° 36°
20PCS



LED:CREE/Bridgelux
Power: 18W
Flux(Lm): 1260Lm
Material: Aluminum



24° 36°
20PCS

COLOUR


CCT



COLOUR

CCT






LED:CREE/Bridgelux
Power:7W
Flux(Lm): 385Lm
Material: Aluminum



24° 36°



50PCS




LED:CREE/Bridgelux
Power: 12W
Flux(Lm): 660Lm
Material: Aluminum



24° 36°



30PCS



LED:CREE/Bridgelux
Power: 18W
Flux(Lm): 990Lm
Material: Aluminum



24° 36°



20PCS


COLOUR

SAND BLACK SAND WHITE

CCT

3000K 4000K 5000K 6000K






LED:CREE/Bridgelux
Power:7W
Flux(Lm): 380Lm
Material: Aluminum



24° 36°



50PCS




LED:CREE/Bridgelux
Power:7W
Flux(Lm): 385Lm
Material: Aluminum



24° 36°



50PCS




LED:CREE/Bridgelux
Power: 12W
Flux(Lm): 660Lm
Material: Aluminum



24° 36°



30PCS




LED:CREE/Bridgelux
Power: 12W
Flux(Lm): 660Lm
Material: Aluminum



24° 36°



30PCS




LED:CREE/Bridgelux
Power: 18W
Flux(Lm): 990Lm
Material: Aluminum



24° 36°



20PCS



LED:CREE/Bridgelux
Power: 18W
Flux(Lm): 990Lm
Material: Aluminum



24° 36°



20PCS

COLOUR

 SAND BLACK
 SAND WHITE

CCT


 3000K
 4000K
 5000K
 6000K

COLOUR


 SAND BLACK
 SAND WHITE

CCT


 3000K
 4000K
 5000K
 6000K



LED:CREE/Bridgelux
Power:7W
Flux(Lm): 560Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 12W
Flux(Lm): 1000Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 20W
Flux(Lm): 1800Lm
Material: Aluminum




COLOUR




CCT








LED:CREE/Bridgelux
Power:7W
Flux(Lm): 560Lm
Material: Aluminum





LED:CREE/Bridgelux
Power:7W
Flux(Lm): 560Lm
Material: Aluminum




LED:CREE/Bridgelux
Power: 12W
Flux(Lm): 1000Lm
Material: Aluminum




LED:CREE/Bridgelux
Power: 12W
Flux(Lm): 1000Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 20W
Flux(Lm): 1800Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 18W
Flux(Lm): 1600Lm
Material: Aluminum



COLOUR



CCT



COLOUR




CCT






0~40°




LED:CREE/Bridgelux
Power:7W
Flux(Lm): 560Lm
Material: Aluminum

15° 24° 36° 60°
50PCS



LED:CREE/Bridgelux
Power: 12W
Flux(Lm): 1000Lm
Material: Aluminum

15° 24° 36° 60°
30PCS




LED:CREE/Bridgelux
Power: 20W
Flux(Lm): 1800Lm
Material: Aluminum


15° 24° 36° 60°
20PCS

COLOUR



CCT






LED:CREE/Bridgelux
Power: 5W
Flux(Lm): 350Lm
Material: Aluminum



24° 36°



50PCS




LED:CREE/Bridgelux
Power: 5W
Flux(Lm): 350Lm
Material: Aluminum



24° 36°



30PCS




LED:CREE/Bridgelux
Power: 5W
Flux(Lm): 350Lm
Material: Aluminum



24° 36°



20PCS




LED:CREE/Bridgelux
Power: 5W
Flux(Lm): 350Lm
Material: Aluminum



24° 36°



10PCS



LED:CREE/Bridgelux
Power: 5W
Flux(Lm): 350Lm
Material: Aluminum



24° 36°



10PCS



COLOUR

CCT





Sleek, modern, and perfect
for any interior.







LED: CREE/Bridgelux
Power: 6W
Flux(Lm): 420Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 800Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 18W
Flux(Lm): 1500Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 28W
Flux(Lm): 2100Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 6W
Flux(Lm): 420Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 800Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 18W
Flux(Lm): 1500Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 28W
Flux(Lm): 2100Lm
Material: Aluminum



ANTI GLARE NET




LINEAR SPREAD LENS



SQUARE SPREAD LENS

COLOUR



CCT




COLOUR




CCT






LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 700Lm
Material: Aluminum



15° 24° 36° 50°



50PCS




LED: CREE/Bridgelux
Power: 15W
Flux(Lm): 1125Lm
Material: Aluminum




15° 24° 36° 50°



30PCS




LED: CREE/Bridgelux
Power: 25W
Flux(Lm): 2000LM
Material: Aluminum




15° 24° 36° 50°



20PCS




LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 700Lm
Material: Aluminum



15° 24° 36° 50°



50PCS




LED: CREE/Bridgelux
Power: 15W
Flux(Lm): 1125Lm
Material: Aluminum




15° 24° 36° 50°



30PCS



LED: CREE/Bridgelux
Power: 25W
Flux(Lm): 2000LM
Material: Aluminum



15° 24° 36° 50°



20PCS



ANTI GLARE NET




LINEAR SPREAD LENS



SQUARE SPREAD LENS

COLOUR



CCT




COLOUR




CCT







LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 700Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 15W
Flux(Lm): 1125Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 25W
Flux(Lm): 2000Lm
Material: Aluminum





COLOUR


CCT




LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 700Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 15W
Flux(Lm): 1125Lm
Material: Aluminum





LED: CREE/Bridgelux
Power: 25W
Flux(Lm): 2000Lm
Material: Aluminum



COLOUR

CCT






LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 660Lm
Material: Aluminum




ANTI GLARE NET




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1150Lm
Material: Aluminum



LINEAR SPREAD LENS



LED: CREE/Bridgelux
Power: 15W
Flux(Lm): 1430Lm
Material: Aluminum




SQUARE SPREAD LENS

COLOUR



CCT






LED: CREE/Bridgelux
Power: 6W
Flux(Lm): 480Lm
Material: Aluminum



15° 24° 36°



30PCS




LED: CREE/Bridgelux
Power: 6W
Flux(Lm): 480Lm
Material: Aluminum



15° 24° 36°



20PCS



LED: CREE/Bridgelux
Power: 6W
Flux(Lm): 480Lm
Material: Aluminum



15° 24° 36°



10PCS


COLOUR

SAND BLACK SAND WHITE

CCT

3000K 4000K 5000K 6000K






LED: CREE/Bridgelux
Power: 6W
Flux(Lm): 480Lm
Material: Aluminum



15° 24° 36°



30PCS




LED: CREE/Bridgelux
Power: 6W
Flux(Lm): 480Lm
Material: Aluminum



15° 24° 36°



20PCS



LED: CREE/Bridgelux
Power: 6W
Flux(Lm): 480Lm
Material: Aluminum



15° 24° 36°




10PCS

COLOUR





CCT








LED:CREE/Bridgelux
Power: 5W
Flux(Lm):350Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 5W
Flux(Lm): 350Lm
Material: Aluminum



LED:CREE/Bridgelux
Power:5 W
Flux(Lm): 350Lm
Material: Aluminum




COLOUR

SAND BLACK SAND WHITE


CCT

3000K 4000K 5000K 6000K








LED:CREE/Bridgelux
Power: 2*5W
Flux(Lm): 700Lm
Material: Aluminum




LED:CREE/Bridgelux
Power: 2*5W
Flux(Lm): 700Lm
Material: Aluminum




LED:CREE/Bridgelux
Power: 4*5W
Flux(Lm): 1400Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 4*5W
Flux(Lm): 1400Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 6*5W
Flux(Lm): 2100Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 6*5W
Flux(Lm): 2100Lm
Material: Aluminum



COLOUR



CCT




COLOUR



CCT






LED: CREE/Bridgelux
Power: 3W
Flux(Lm): 180Lm
Material: Aluminum



10° 20°



100PCS




LED: CREE/Bridgelux
Power: 3W
Flux(Lm): 180Lm
Material: Aluminum



10° 20°



100PCS




LED: CREE/Bridgelux
Power: 5W
Flux(Lm): 300Lm
Material: Aluminum



6° 10° 20°



100PCS



LED: CREE/Bridgelux
Power: 5W
Flux(Lm): 300Lm
Material: Aluminum



6° 10° 20°



100PCS

COLOUR


SAND WHITE + BLACK

CCT

 3000K  4000K  6000K


IP20



1-10V

CONSTANT
CURRENT

DALI




LED: OSRAM
Power: 1W
Flux(Lm): 55Lm
Material: Aluminum



24° 36°



100PCS



LED: OSRAM
Power: 3W
Flux(Lm): 180Lm
Material: Aluminum



24° 36°



100PCS

COLOUR

CCT



MATTE WHITE + BLACK



3000K



4000K



6000K


IP20



1-10V

CONSTANT
CURRENT

DALI




LED: OSRAM
Power: 1W
Flux(Lm): 55Lm
Material: Aluminum



15° 24°



100PCS




LED: OSRAM
Power: 1W
Flux(Lm): 55Lm
Material: Aluminum



10° 15° 20°



100PCS




LED: OSRAM
Power: 1W
Flux(Lm): 55Lm
Material: Aluminum
IP44



10° 15° 20°



100PCS



LED: OSRAM
Power: 1W
Flux(Lm): 55Lm
Material: Aluminum
IP44




100PCS

COLOUR



CCT








LED : Bridgelux
Power : 6W
Flux(Lm) : 240Lm
Material : Aluminum



60°

50PCS




LED : Bridgelux
Power : 12W
Flux(Lm) : 480Lm
Material : Aluminum



60°

30PCS




LED : Bridgelux
Power : 18W
Flux(Lm) : 720Lm
Material : Aluminum



60°

20PCS



LED : Bridgelux
Power : 24W
Flux(Lm) : 960Lm
Material : Aluminum



60°

20PCS

COLOUR

SAND BLACK SAND WHITE

CCT

3000K 4000K 6000K






LED : Bridgelux
Power : 6W
Flux(Lm) : 360Lm
Material : Aluminum




100°
50PCS



LED : Bridgelux
Power : 12W
Flux(Lm) : 720Lm
Material : Aluminum




100°
30PCS



LED : Bridgelux
Power : 18W
Flux(Lm) : 1200Lm
Material : Aluminum



100°
20PCS



LED : Bridgelux
Power : 24W
Flux(Lm) : 1600Lm
Material : Aluminum



100°
20PCS

COLOUR

 SAND BLACK
 SAND WHITE

CCT

 3000K
 4000K
 6000K




LED : Bridgelux
Power : 6W
Flux(Lm) : 360Lm
Material : Aluminum



24°36°



50PCS




LED : Bridgelux
Power : 12W
Flux(Lm) : 720Lm
Material : Aluminum



24°36°



30PCS




LED : Bridgelux
Power : 18W
Flux(Lm) : 1200Lm
Material : Aluminum



24°36°



50PCS



LED : Bridgelux
Power : 24W
Flux(Lm) : 1600Lm
Material : Aluminum



24°36°



20PCS

COLOUR

- SAND BLACK
- SAND WHITE

CCT

- 3000K
- 4000K
- 6000K


IP20

1-10V

CONSTANT CURRENT

DALI

tuya




LED : Bridgelux
Power : 6W
Flux(Lm) : 240Lm
Material : Aluminum



60°



50PCS




LED : Bridgelux
Power : 12W
Flux(Lm) : 480Lm
Material : Aluminum



60°



30PCS




LED : Bridgelux
Power : 18W
Flux(Lm) : 720Lm
Material : Aluminum



60°



20PCS



LED : Bridgelux
Power : 24W
Flux(Lm) : 960Lm
Material : Aluminum



60°




20PCS

COLOUR

- 
SAND BLACK
- 
SAND WHITE

CCT

- 
3000K
- 
4000K
- 
6000K




LED : Bridgelux
Power : 6W
Flux(Lm) : 360Lm
Material : Aluminum



100°



50PCS




LED : Bridgelux
Power : 12W
Flux(Lm) : 720Lm
Material : Aluminum



100°



30PCS




LED : Bridgelux
Power : 18W
Flux(Lm) : 1200Lm
Material : Aluminum



100°



20PCS



LED : Bridgelux
Power : 24W
Flux(Lm) : 1600Lm
Material : Aluminum



100°



20PCS

COLOUR



SAND BLACK



SAND WHITE

CCT



3000K




4000K



6000K







LED : Bridgelux
Power : 6W
Flux(Lm) : 360Lm
Material : Aluminum



24°36°



50PCS





LED : Bridgelux
Power : 12W
Flux(Lm) : 720Lm
Material : Aluminum



24°36°



30PCS



LED : Bridgelux
Power : 18W
Flux(Lm) : 1200Lm
Material : Aluminum



24°36°



20PCS



LED : Bridgelux
Power : 24W
Flux(Lm) : 1600Lm
Material : Aluminum



24°36°



20PCS


COLOUR




CCT




| Surface Mounted Spot Light




LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 750Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 15W
Flux(Lm): 1200Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1600Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 30W
Flux(Lm): 2500Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 40W
Flux(Lm): 3600Lm
Material: Aluminum



COLOUR



SAND WHITE

CCT



3000K



4000K



5000K




6000K







Deep anti glare downlight




LED:CREE/Bridgelux
Power: 10W
Flux(Lm): 900Lm
Material: Aluminum




LED:CREE/Bridgelux
Power: 15W
Flux(Lm): 1350Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 20W
Flux(Lm): 1920Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 30W
Flux(Lm): 2700Lm
Material: Aluminum




LED:CREE/Bridgelux
Power: 40W
Flux(Lm): 3600Lm
Material: Aluminum




COLOUR




CCT






LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 490Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 900Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1600Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 530Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 960Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1600Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 2*7W
Flux(Lm): 1060Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 2*12W
Flux(Lm): 1920Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 2*20W
Flux(Lm): 3200Lm
Material: Aluminum



ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS

COLOUR

CCT



SAND WHITE



3000K



4000K



5000K



6000K

COLOUR

CCT



SAND WHITE + BLACK



3000K




4000K



5000K



6000K



LED: Bridgelux
Power: 15W
Flux(Lm): 1100Lm
Material: Aluminum



30PCS



LED: Bridgelux
Power: 27W
Flux(Lm): 2200Lm
Material: Aluminum



30PCS

COLOUR



SAND WHITE

CCT



3000K



4000K




5000K



6000K






LED: Bridgelux
Power: 12W
Flux(Lm): 900Lm
Material: Aluminum
IP65



100°



50PCS




LED: Bridgelux
Power: 18W
Flux(Lm): 1443Lm
Material: Aluminum
IP65



100°



30PCS



LED: Bridgelux
Power: 24W
Flux(Lm): 1950Lm
Material: Aluminum
IP65



100°



20PCS

COLOUR



MATTE WHITE

CCT



3000K



4000K




5000K




6000K







LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 840Lm
Material: Aluminum
IP65



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1400Lm
Material: Aluminum
IP65




COLOUR


SAND WHITE + BLACK

CCT

 3000K  4000K  5000K  6000K





LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum




ANTI GLARE NET




LINEAR SPREAD LENS



SQUARE SPREAD LENS



LED: CREE/Bridgelux
Power: 2*12W
Flux(Lm): 1700Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 3*12W
Flux(Lm): 2550Lm
Material: Aluminum



COLOUR




CCT



| Recessed LED Spotlights




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



ANTI GLARE NET



LINEAR SPREAD LENS



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



SQUARE SPREAD LENS

COLOUR


CCT




COLOUR

CCT









LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum





LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



COLOUR


CCT



COLOUR

CCT





LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



15° 24° 36° 60°




50PCS



ANTI GLARE NET



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



15° 24° 36° 60°



50PCS



LINEAR SPREAD LENS



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



15° 24° 36° 60°



50PCS



SQUARE SPREAD LENS



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



15° 24° 36° 55°



50PCS



LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



15° 24° 36° 60°





50PCS

COLOUR


CCT









LED : CREE/Bridgelux
Power : 12W
Flux(Lm) : 850Lm
Material : Aluminum




LED : CREE/Bridgelux
Power : 12W
Flux(Lm) : 850Lm
Material : Aluminum




LED : CREE/Bridgelux
Power : 12W
Flux(Lm) : 850Lm
Material : Aluminum




LED : CREE/Bridgelux
Power : 12W
Flux(Lm) : 850Lm
Material : Aluminum



LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 650Lm
Material : Aluminum



LED : CREE/Bridgelux
Power : 2*6 W
Flux(Lm) : 1100 Lm
Material : Aluminum



LED : CREE/Bridgelux
Power : 12W
Flux(Lm) : 850Lm
Material : Aluminum



COLOUR


CCT



COLOUR

CCT






LED : Bridgelux
Power : 7W
Flux(Lm) : 490Lm
Material : Aluminum



24° 36°



50PCS




LED : Bridgelux
Power : 7W
Flux(Lm) : 490Lm
Material : Aluminum



24° 36°



50PCS



LED : Bridgelux
Power : 7W
Flux(Lm) : 490Lm
Material : Aluminum



24° 36°




50PCS

COLOUR



CCT

- 
SAND BLACK
- 
SAND WHITE
- 
SAND GOLD
- 
3000K
- 
4000K
- 
5000K
- 
6000K



- 
IP20
- 
- 
- 
1-10V
- 
CONSTANT CURRENT
- 
DALI
- 





LED: Bridgelux
Power: 6W
Flux(Lm): 450Lm
Material: Aluminum



LED: Bridgelux
Power: 6W
Flux(Lm): 450Lm
Material: Aluminum



LED: Bridgelux
Power: 6W
Flux(Lm): 450Lm
Material: Aluminum



LED: Bridgelux
Power: 6W
Flux(Lm): 450Lm
Material: Aluminum




COLOUR




CCT






LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 420Lm
Material : Aluminum



LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 420Lm
Material : Aluminum



LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 420Lm
Material : Aluminum




COLOUR

- 
SAND BLACK
- 
SAND WHITE
- 
SAND GOLD
- 
3000K
- 
4000K
- 
5000K
- 
6000K

CCT


- IP20
- 
- 
- 1-10V
- CONSTANT CURRENT
- DALI
- 



LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 420Lm
Material : Aluminum




15°24"36"50"
30PCS



LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 420Lm
Material : Aluminum



15°24"36"50"
20PCS



LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 420Lm
Material : Aluminum



15°24"36"50"
20PCS

COLOUR

- SAND BLACK
- SAND WHITE
- SAND GOLD
- 3000K
- 4000K
- 5000K
- 6000K

CCT


IP20

1-10V

CONSTANT CURRENT

DALI

tuya




LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 420Lm
Material : Aluminum



15°24°36°50°



40PCS



LED : CREE/Bridgelux
Power : 6W
Flux(Lm) : 420Lm
Material : Aluminum



15°24°36°50°




40PCS

COLOUR

- 
SAND BLACK
- 
SAND WHITE
- 
SAND GOLD
- 
3000K
- 
4000K
- 
5000K
- 
6000K

CCT



- IP20
- 
- 
- 1-10V
- CONSTANT CURRENT
- DALI
- 





LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 800Lm
Material: Aluminum




LED: CREE/Bridgelux
Power: 15W
Flux(Lm): 1180Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 24W
Flux(Lm): 1968Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 30W
Flux(Lm): 2650Lm
Material: Aluminum




COLOUR



CCT






LED: Bridgelux
Power: 10W
Flux(Lm): 750Lm
Material: Aluminum



100°



50PCS




LED: Bridgelux
Power: 15W
Flux(Lm): 1120Lm
Material: Aluminum



100°



30PCS




LED: Bridgelux
Power: 24W
Flux(Lm): 1780Lm
Material: Aluminum



100°



20PCS



LED: Bridgelux
Power: 30W
Flux(Lm): 2240Lm
Material: Aluminum



100°



20PCS

COLOUR

CCT



SAND BLACK



SAND WHITE



3000K



4000K





5000K



6000K



| LED Track Spotlights



LED : CREE/Bridgelux
Power : 10W
Flux(Lm) : 700Lm
Material : Aluminum



15°24°36°50°



30PCS




ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS




LED : CREE/Bridgelux
Power : 15W
Flux(Lm) : 1050Lm
Material : Aluminum



15°24°36°50°



30PCS




LED : CREE/Bridgelux
Power : 20W
Flux(Lm) : 1560Lm
Material : Aluminum



15°24°36°50°



20PCS




LED : CREE/Bridgelux
Power : 30W
Flux(Lm) : 2400Lm
Material : Aluminum



15°24°36°50°



20PCS



LED : CREE/Bridgelux
Power : 40W
Flux(Lm) : 3500Lm
Material : Aluminum



15°24°36°50°



20PCS

COLOUR



SAND BLACK

CCT



3000K



4000K



5000K



6000K


IP20



1-10V

CONSTANT
CURRENT

DALI




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 840Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1600Lm
Material: Aluminum



LED: CREE/Bridgelux
Power: 30W
Flux(Lm): 2400Lm
Material: Aluminum





COLOUR



CCT






LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 490Lm
Material: Aluminum



15° 24° 36° 60°
30PCS



ANTI GLARE NET




LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 900Lm
Material: Aluminum



15° 24° 36° 60°
20PCS



LINEAR SPREAD LENS



LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1600Lm
Material: Aluminum



15° 24° 36° 60°
20PCS




SQUARE SPREAD LENS

COLOUR



CCT






LED : CREE/Bridgelux
Power : 12W
Flux(Lm) : 800Lm
Material : Aluminum



15°~55°



50PCS




LED : CREE/Bridgelux
Power : 18W
Flux(Lm) : 1189Lm
Material : Aluminum



15°~55°



30PCS



LED : CREE/Bridgelux
Power : 28W
Flux(Lm) : 1980Lm
Material : Aluminum



15°~55°



20PCS

COLOUR

 SAND WHITE + BLACK


CCT

 3000K  4000K  5000K  6000K


 IP20    1-10V  CONSTANT CURRENT  DALI

| Pendant Lamp







LED : Bridgelux
Power : 5W
Size: Φ26*60*550mm
Material : Plastic




LED : Bridgelux
Power : 10W
Size : Φ26*60*1000mm
Material : Plastic




LED : Bridgelux
Power : 15W
Size : Φ26*60*1500mm
Material : Plastic




LED : Bridgelux
Power : 25W
Size : Φ26*60*2500mm
Material : Plastic




LED : Bridgelux
Power : 40W
Size : Φ26*60*5000mm
Material : Plastic




LED : Bridgelux
Power : 10W
Size: Φ26*60*1000mm
Material : Plastic



LED : Bridgelux
Power : 15W
Size: Φ26*60*1500mm
Material : Plastic



LED : Bridgelux
Power : 25W
Size: Φ26*60*2500mm
Material : Plastic



LED : Bridgelux
Power : 40W
Size: Φ26*60*5000mm
Material : Plastic



COLOUR


CCT



COLOUR

CCT






LED : Bridgelux
Power : 5W
Size: Φ26*550mm
Material : Plastic




360°
20PCS



LED : Bridgelux
Power : 10W
Size: Φ26*60*1000mm
Material : Plastic





360°
20PCS



LED : Bridgelux
Power : 10W
Size : Φ26*1000mm
Material : Plastic




360°
20PCS



LED : Bridgelux
Power : 15W
Size: Φ26*60*1500mm
Material : Plastic





360°
10PCS



LED : Bridgelux
Power : 15W
Size : Φ26*1500mm
Material : Plastic




360°
10PCS



LED : Bridgelux
Power : 25W
Size: Φ26*60*2500mm
Material : Plastic





360°
10PCS



LED : Bridgelux
Power : 25W
Size : Φ26*2500mm
Material : Plastic



360°
10PCS



LED : Bridgelux
Power : 34W
Size: Φ26*60*5000mm
Material : Plastic



360°
10PCS

COLOUR

CCT



SAND WHITE + BLACK



3000K



4000K



6000K

COLOUR

CCT



SAND WHITE + BLACK



3000K



4000K



6000K



Ø 55mm
(Cut out)

LED : Bridgelux
Power : 5W
Size : Φ26*60*550mm
Material : Plastic



360°



20PCS



Applicable :Silicone flood light series



Applicable :Silicone flood light series



LED : Bridgelux
Power : 5W
Size : Φ52*550mm
Material : Plastic



360°



20PCS

COLOUR

CCT



SAND BLACK



SAND WHITE



3000K



4000K



6000K

COLOUR

CCT



SAND BLACK



SAND WHITE



3000K




4000K



6000K

| Suspension Lamp Series






Material: Aluminum



1PCS




Ø120mm

Material: Aluminum



1PCS



Ø190mm

Material: Aluminum



1PCS



Material: Aluminum





100PCS

COLOR



SAND BLACK



LED : Bridgelux
Power : 2*6W
Flux(Lm) : 2*470Lm
Material : Aluminum



15°24'36'50°



20PCS

COLOUR

CCT



SAND BLACK



SAND WHITE



SAND GOLD



3000K





4000K




6000K





LED : Bridgelux
Power : 2*6W
Flux(Lm) : 2*470Lm
Material : Aluminum



LED : Bridgelux
Power : 4*6W
Flux(Lm) : 4*470Lm
Material : Aluminum



COLOUR

- 
SAND BLACK
- 
SAND WHITE
- 
SAND GOLD
- 
3000K
- 
4000K
- 
6000K

CCT

IP20






1-10V

CONSTANT CURRENT

DALI



LED: Bridgelux
Power: 5W
Flux(Lm): 235Lm
Material: Aluminum



180°



20PCS

LED: Bridgelux
Power: 5W
Flux(Lm): 230Lm
Material: Aluminum



180°



20PCS

COLOUR

CCT



SAND WHITE



3000K



4000K




6000K

IP20

1-10V

CONSTANT CURRENT

DALI



LED: /Bridgelux
Power: 9W+3W
Flux(Lm): 485Lm
Material: Aluminum



100°



1PCS

COLOUR

CCT

- 
SAND BLACK
- 
SAND WHITE



- 
3000K

IP20

1-10V

CONSTANT CURRENT

DALI



LED: Bridgelux
Power: 6W
Flux(Lm): 290Lm
Material: Aluminum



100°



20PCS

COLOUR



SAND BLACK



SAND WHITE

CCT



3000K



IP20



1-10V

CONSTANT
CURRENT

DALI




LED: Bridgelux
Power: 5W
Flux(Lm): 275Lm
Material: Aluminum



100°



12PCS



LED: Bridgelux
Power: 9W
Flux(Lm): 495Lm
Material: Aluminum



100°



12PCS



COLOUR

CCT

SAND BLACK SAND WHITE

3000K





LED: Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum



COLOUR

- 
SAND BLACK
- 
SAND WHITE

CCT

- 
3000K

IP20






1-10V

CONSTANT CURRENT

DALI






LED: CREE
Power: 3W
Flux(Lm): 87Lm
Material: Aluminum



30°



50PCS




LED: CREE
Power: 3W
Flux(Lm): 87Lm
Material: Aluminum



30°



50PCS




LED: CREE
Power: 3W
Flux(Lm): 83Lm
Material: Aluminum



30°



50PCS




LED: CREE
Power: 3W
Flux(Lm): 66Lm
Material: Aluminum



30°



50PCS




LED: CREE
Power: 3W
Flux(Lm): 65Lm
Material: Aluminum



30°



50PCS




LED: CREE
Power: 3W
Flux(Lm): 65Lm
Material: Aluminum



30°



50PCS



COLOUR


SAND BLACK SAND WHITE

CCT

3000K 4000K 6000K



| Skyline/ Floor Lamp




LED: Bridgelux
Power: 75W
Flux(Lm): 420Lm
Material: Aluminum



100°



1PCS



LED: Bridgelux
Power: 150W
Flux(Lm): 9240Lm
Material: Aluminum



100°



1PCS

COLOUR

CCT


SAND BLACK



3000K


4000K



5000K


6000K





Bending Magnetic
Track Sheet




Size: 20x4mm
Material : Aluminum



10PCS




Size: D65x105mm
Material : Aluminum



50PCS




Size: 100x24x8mm
Material : Aluminum



50PCS




Size: D60x300mm
Material : Aluminum



50PCS




Size: D106x88mm
Material : Aluminum



20PCS



Size: 126x88mm
Material : Aluminum



20PCS



Size: D90x30 mm
Material : Aluminum



50PCS


COLOUR

- SAND BLACK SAND WHITE


CCT

- 3000K 4000K 5000K 6000K


- IP20 1-10V DALI tuya



LED: Bridgelux
Power: 12W
Size: 220X25X22X145mm
Material: Aluminum




LED: Bridgelux
Power: 24W
Size: 435X25X22X145mm
Material: Aluminum




LED: Bridgelux
Power: 8W
Size: 304X22X42X85mm
Material: Aluminum




LED: Bridgelux
Power: 16W
Size: 604X22X42X85mm
Material: Aluminum




LED: Bridgelux
Power: 15W
Size: Ø102*185mm
Material: Aluminum



LED: Bridgelux
Power: 18W
Size: 95X20X85mm
Material: Aluminum



LED: Bridgelux
Power: 12W
Size: 55x120x193mm
Material: Aluminum



COLOUR


CCT



COLOUR

CCT






LED: Bridgelux
Power: 5W
Size: 35*82*156mm
Material: Aluminum



15/24/36/50°



50PCS




LED: Bridgelux
Power: 8W
Size: 45*100*182mm
Material: Aluminum



15/24/36/50°



50PCS




LED: Bridgelux
Power: 12W
Size: 52*125*208mm
Material: Aluminum



15/24/36/50°



50PCS




LED: Bridgelux
Power: 20W
Size: 65*150*233mm
Material: Aluminum



15/24/36/50°



50PCS




LED: Bridgelux
Power: 5W
Size: 40*20*107mm
Material: Aluminum



36°



50PCS




LED: Bridgelux
Power: 5 W
Size: D200x66mm
Material: Aluminum



150°



20PCS



LED: Bridgelux
Power: 12W
Size: D120x45x105mm
Material: Aluminum



150°



20PCS

COLOUR


CCT



COLOUR

CCT






LED: Bridgelux
Power: 5W
Size: D120x100mm
Material: Glass



120°



20PCS




LED: Bridgelux
Power: 5W
Size: D120x80mm
Material: Glass



36°



20PCS



LED: Bridgelux
Power: 5W
Size: D80x100mm
Material: Glass



120°



10PCS




LED: Bridgelux
Power: 5W
Size: 100 x 160mm
Material: Plastic



360°



20PCS




LED: Bridgelux
Power: 5W
Size: 130 x 190mm
Material: Plastic



360°



20PCS



LED: Bridgelux
Power: 5W
Size: 200x262 mm
Material: Plastic



360°



10PCS

COLOUR

CCT




COLOUR

CCT







Atmosphere in place, lighting in place



LED: Bridgelux
Power: 5W
Size: 80*140mm
Material: Glass



LED: Bridgelux
Power: 5W
Size: 100*160mm
Material: Glass



LED: Bridgelux
Power: 5W
Size: 130*190mm
Material: Glass



COLOUR

- SAND BLACK
- SAND WHITE

CCT

- 3000K
- 4000K
- 5000K
- 6000K


IP20

1-10V


CONSTANT CURRENT

DALI


tuya



LED: Bridgelux
Power: 20W
Size: 36*600*101mm
Material: Plastic



LED: Bridgelux
Power: 16W
Size: 22*1130*145mm
Material: Plastic



LED: Bridgelux
Power: 24W
Size: 22*2130*145mm
Material: Plastic



COLOUR

CCT

SAND BLACK

SAND WHITE

3000K

4000K

5000K

6000K

COLOUR

CCT

SAND BLACK

SAND WHITE





















3000K

4000K

5000K


6000K




 	 	 	 
Size: D18*148mm Material: Aluminum	Size: D18*148mm Material: Aluminum	Size: D18*1000mm Material: Aluminum	Size: D18*98*98mm Material: Aluminum
100PCS	100PCS	30PCS	100PCS
 	 	 	 
Size: D18*100mm Material: Aluminum	Size: D16*96mm Material: Aluminum	Size: D18*178*98mm Material: Aluminum	Size: D18*98mm Material: Aluminum
100PCS	100PCS	100PCS	50PCS
 	 	 	 
Size: D18*196mm Material: Aluminum	Size: D18*276mm Material: Aluminum	Size: D18*178*178mm Material: Aluminum	Size: D18*98*178mm Material: Aluminum
100PCS	50PCS	100PCS	50PCS
 	 	 	 
Size: D18*396mm Material: Aluminum	Size: D18*500mm Material: Aluminum	Size: D18*98*178mm Material: Aluminum	Size: D18*98*178mm Material: Aluminum
50PCS	50PCS	50PCS	50PCS

COLOUR	CCT	COLOUR	CCT
			
			
			
			
SAND BLACK	SAND WHITE	SAND BLACK	SAND WHITE
BRUSHED GOLD	3000K	BRUSHED GOLD	3000K
3000K	4000K	3000K	4000K
4000K	6000K	4000K	6000K







Size: D51*21*18mm
Material: Aluminum



Size: D51*21*52mm
Material: Aluminum



Size: D12*H2000mm
Material: Aluminum




Size: D6*10mm
Material: Aluminum








LED: Bridgelux
Power: 12W
Size: D18*500mm
Material: Aluminum



LED: Bridgelux
Power: 12W
Size: D18*500mm
Material: Aluminum



LED: Bridgelux
Power: 24W
Size: D18*1000mm
Material: Aluminum



LED: SANAN
Power: 24W
Size: D18*1000mm
Material: Aluminum



COLOUR

CCT



SAND BLACK



SAND WHITE



3000K



4000K



5000K



6000K

COLOUR

CCT



SAND BLACK



SAND WHITE



3000K




4000K




5000K




6000K




LED: Bridgelux
Power: 3W
Size: D24*48*200mm
Material: Aluminum




LED: Bridgelux
Power: 5W
Size: D32*58*200mm
Material: Aluminum



LED: Bridgelux
Power: 3W
Size: D18*100*200mm
Material: Aluminum



LED: Bridgelux
Power: 3W
Size: D18*200*250mm
Material: Aluminum



LED: Bridgelux
Power: 3W
Size: D35*55*200mm
Material: Aluminum



COLOUR

SAND BLACK

SAND WHITE

CCT

3000K

4000K

5000K

6000K

COLOUR

SAND BLACK

SAND WHITE

CCT

3000K

4000K


5000K

6000K

OUTDOOR LIGHTS



| Outdoor Wall Mounted Luminaries



LED:CREE/Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum



100°



20PCS

COLOUR

- SAND BLACK
- SAND WHITE

CCT


- 2700K
- 4000K
- 5000K
- 6000K

IP65

1-10V

CONSTANT CURRENT

DALI



LED:CREE/Bridgelux
Power: 10W
Flux(Lm): 650Lm
Material: Aluminum


100°

20PCS

COLOUR


 SAND BLACK
 SAND WHITE

CCT

 2700K
 4000K
 5000K
 6000K

 IP65


1-10V
CONSTANT CURRENT
DALI



LED:CREE/Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum



100°





20PCS

COLOUR



CCT





LED:CREE/Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum


360°

10PCS


COLOUR

-  SAND BLACK
-  SAND WHITE


CCT

-  2700K
-  4000K
-  5000K
-  6000K

-  IP65
- 
- 
-  1-10V
-  CONSTANT CURRENT
-  DALI



LED:CREE/Bridgelux
Power: 5W
Flux(Lm): 480Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 5W
Flux(Lm): 480Lm
Material: Aluminum




COLOUR



CCT





LED:CREE/Bridgelux
Power: 3W
Flux(Lm): 195Lm
Material: Aluminum



100°



100PCS

COLOUR

- SAND BLACK
- SAND WHITE

CCT


- 2700K
- 4000K
- 5000K
- 6000K

IP65

1-10V

CONSTANT CURRENT

DALI




LED: Bridgelux
Power: 5W
Flux (Lm): 325Lm
Material: Aluminum+PC



100°



20PCS



LED: Bridgelux
Power: 2*5W
Flux (Lm): 2*325Lm
Material: Aluminum+PC



100°



20PCS

COLOUR

- SAND BLACK
- SAND WHITE

CCT


- 2700K
- 4000K
- 5000K
- 6000K

IP65


1-10V

CONSTANT CURRENT

DALI



LED: Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum+PC



LED: Bridgelux
Power: 2*5W
Flux(Lm): 2*325Lm
Material: Aluminum+PC



COLOUR

- SAND BLACK
- SAND WHITE

CCT

- 2700K
- 4000K
- 5000K
- 6000K

IP65


⏏

🏠


1-10V

CONSTANT CURRENT

DALI



LED: Bridgelux
Power: 5W
Flux (Lm): 325Lm
Material: Aluminum+PC



LED: Bridgelux
Power: 2*5W
Flux (Lm): 325Lm
Material: Aluminum+PC



COLOUR

- SAND BLACK
- SAND WHITE

CCT


- 2700K
- 4000K
- 5000K
- 6000K

IP65

1-10V

CONSTANT CURRENT

DALI



LED: Bridgelux
Power: 5W
Flux (Lm): 325Lm
Material: Aluminum + GL



100°



10PCS

COLOUR

- SAND BLACK
- SAND WHITE

CCT


- 2700K
- 4000K
- 5000K
- 6000K

IP65

1-10V

CONSTANT CURRENT

DALI




LED: Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum+GL



100°



10PCS



LED: Bridgelux
Power: 2*5W
Flux(Lm): 2*325Lm
Material: Aluminum+GL



100°



10PCS

COLOUR

CCT

 SAND BLACK


 SAND WHITE

 2700K


 4000K

 5000K

 6000K



LED: Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum+GL



LED: Bridgelux
Power: 2*5W
Flux(Lm): 2*325Lm
Material: Aluminum+GL



COLOUR

- SAND BLACK
- SAND WHITE

CCT



- 2700K
- 4000K
- 5000K
- 6000K

IP65

1-10V

CONSTANT CURRENT

DALI



LED:CREE/Bridgelux
Power: 10W
Flux(Lm): 900Lm
Material: Aluminum


100°

50PCS

COLOUR

- 
SAND BLACK
- 
SAND WHITE

CCT

- 
2700K
- 
4000K
- 
5000K
- 
6000K

IP65






1-10V

CONSTANT CURRENT

DALI




LED:CREE/Bridgelux
Power: 10W
Flux(Lm): 900Lm
Material: Aluminum



100°



50PCS



LED:CREE/Bridgelux
Power: 10W
Flux(Lm): 900Lm
Material: Aluminum



100°



50PCS

COLOUR

- SAND BLACK
- SAND WHITE

CCT


- 2700K
- 4000K
- 5000K
- 6000K

IP65

1-10V

CONSTANT CURRENT

DALI



LED: Bridgelux
Power: 2*5W
Flux(Lm): 2*325Lm
Material: Aluminum+PC



100°



20PCS

COLOUR

- SAND BLACK
- SAND WHITE

CCT

- 2700K
- 4000K
- 5000K
- 6000K


IP65

1-10V


CONSTANT CURRENT

DALI


| Outdoor Lawn Light Fixtures



LED: Bridgelux
Power: 10W
Flux (Lm): 650Lm
Material: Aluminum + PC



LED: Bridgelux
Power: 10W
Flux (Lm): 650Lm
Material: Aluminum + PC



LED: Bridgelux
Power: 10W
Flux (Lm): 650Lm
Material: Aluminum + PC



COLOUR

- SAND BLACK
- SAND WHITE

CCT


- 2700K
- 4000K
- 5000K
- 6000K

IP65


1-10V

CONSTANT CURRENT


DALI



LED: Bridgelux
Power: 10W
Flux(Lm): 650Lm
Material: Aluminum



LED: Bridgelux
Power: 12W
Flux(Lm): 780Lm
Material: Aluminum



LED: Bridgelux
Power: 12W
Flux(Lm): 780Lm
Material: Aluminum



COLOUR

CCT


- SAND BLACK
- SAND WHITE
- 2700K
- 4000K
- 5000K
- 6000K

IP65


1-10V

CONSTANT CURRENT


DALI



LED: Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum+PC



LED: Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum+PC



LED: Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum+PC



COLOUR

CCT

SAND BLACK SAND WHITE


2700K 4000K 5000K 6000K

IP65

1-10V

CONSTANT CURRENT

DALI




LED: Bridgelux
Power: 10W
Flux (Lm): 650Lm
Material: Aluminum+PC



100°



4PCS



LED: Bridgelux
Power: 10W
Flux (Lm): 650Lm
Material: Aluminum+PC



100°



4PCS

COLOUR

CCT

SAND BLACK

SAND WHITE

2700K

4000K

5000K

6000K

IP65


Grounding symbol

House icon

1-10V

CONSTANT CURRENT

DALI



LED:CREE/Bridgelux
Power: 10W
Flux(Lm): 900Lm
Material: Aluminum



LED:CREE/Bridgelux
Power: 10W
Flux(Lm): 900Lm
Material: Aluminum




COLOUR




CCT






LED: Bridgelux
Power: 5W
Flux (Lm): 325Lm
Material: Aluminum + PC



LED: Bridgelux
Power: 5W
Flux (Lm): 325Lm
Material: Aluminum + PC



LED: Bridgelux
Power: 5W
Flux (Lm): 325Lm
Material: Aluminum + PC



COLOUR

- SAND BLACK
- SAND WHITE

CCT

- 2700K
- 4000K
- 5000K
- 6000K

IP65


1-10V

CONSTANT CURRENT


DALI



LED: Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum+PC



LED: Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum+PC



LED: Bridgelux
Power: 5W
Flux(Lm): 325Lm
Material: Aluminum+PC




COLOUR

CCT

SAND BLACK SAND WHITE

2700K 4000K 5000K 6000K






LED: Bridgelux
Power: 5W
Size: D65x200mm
Material: Aluminum



24° 36°



10PCS




LED: Bridgelux
Power: 10W
Size: D90x220mm
Material: Aluminum



24° 36°



10PCS



LED: Bridgelux
Power: 20W
Size: D110x240mm
Material: Aluminum



24° 36°



10PCS

COLOUR

- 
SAND BLACK
- 
SAND WHITE

CCT

- 
2700K
- 
4000K
- 
5000K
- 
6000K

IP65







1-10V

CONSTANT CURRENT

DALI

| Outdoor Step Light Series




LED: Bridgelux
Power: 3W
Size: 185x40x45mm
Material: Aluminum



10°



20PCS



LED: Bridgelux
Power: 3W
Size: 210x65x65mm
Material: Aluminum



30°



20PCS

COLOUR

CCT

SAND BLACK SAND WHITE

2700K 4000K 5000K 6000K


IP65



1-10V

CONSTANT CURRENT

DALI




LED: Bridgelux
Power: 3W
Size: 85x85x50mm
Material: Aluminum



45°



30PCS




LED: Bridgelux
Power: 3W
Size: 105x60x65mm
Material: Aluminum



45°



30PCS



LED: Bridgelux
Power: 5W
Size: 210x65x65mm
Material: Aluminum



45°



20PCS

COLOUR

CCT



SAND BLACK



2700K



4000K




5000K



6000K




| LED Module Series




CCT






Material: Aluminum

100PCS




Material: Aluminum

50PCS




Material: Aluminum

100PCS




Material: Aluminum

50PCS




Material: Aluminum

100PCS




Material: Aluminum

100PCS




Material: Aluminum

100PCS




Material: Aluminum

100PCS




Material: Aluminum

100PCS




Material: Aluminum

100PCS




Material: Aluminum

100PCS




Material: Aluminum

50PCS




Material: Aluminum

50PCS




Material: Aluminum

20PCS




Material: Aluminum

100PCS




Material: Aluminum

50PCS




Material: Aluminum

100PCS




Material: Aluminum

50PCS






















Material: Aluminum

100PCS



Material: Aluminum

100PCS



DESIGNED WITH PRECISION FROM HUNGARY



M-01, Sara Building, Al Garhoud, Dubai, UAE

+971 54 318 1421 | +971 509091721 | sales@budaluxelighting.com



[budaluxelighting](#)

CONTACT CARD

